

DEKLARACJA WŁAŚCIWOŚCI UŻYTKOWYCH

Nr. V.014

1. Niepowtarzalny kod identyfikacyjny typu wyrobu:

Numery produktów w załączonej liście.

Typ, partia lub inny element identyfikujący:

Umywalki ceramiczne bez przelewu. Umywalki ceramiczne z przelewem.

2. Zamierzone zastosowanie lub zastosowania: **Higiena osobista (PH)**

3. Nazwa, nazwa handlowa lub zarejestrowany znak towarowy i adres kontaktowy producenta, o którym mowa w art. 11 ust. 5:

RAVAK a.s.
Obecnická 285
261 01, Příbram 1
REPUBLIKA CZESKA
<http://www.ravak.com>

4. Upoważniony przedstawiciel: **nie dotyczy**

5. System oceny i weryfikacji stałości właściwości użytkowych: **System 4**

6. Norma zharmonizowana: **EN 14688:2006**

Jednostka lub jednostki notyfikowane: ---

7. Deklarowane właściwości użytkowe:

Umywalki ceramiczne bez przelewu:

Zasadnicze charakterystyki	Właściwości użytkowe	Zharmonizowana specyfikacja techniczna
Wartość odpływowa przelewu (OF)	CL 00	EN 14688:2006
Zdolność do czyszczenia (CA)	Spełnia	
Obciążalność statyczna (LR)	Spełnia	
Trwałość (DA)	Spełnia	

Umywalki ceramiczne z przelewem:


Zasadnicze charakterystyki	Właściwości użytkowe	Zharmonizowana specyfikacja techniczna
Wartość odpływowa przelewu (OF)	CL 10/15/20	EN 14688:2006
Zdolność do czyszczenia (CA)	Spełnia	
Obciążalność statyczna (LR)	Spełnia	
Trwałość (DA)	Spełnia	

Właściwości użytkowe określonego powyżej wyrobu są zgodne z zestawem deklarowanych właściwości użytkowych. Niniejsza deklaracja właściwości użytkowych wydana zostaje zgodnie z rozporządzeniem (UE) nr 305/2011 na wyłączną odpowiedzialność producenta określonego powyżej.

W imieniu producenta podpisać:

Ing. Patrik Kreysa
Dyrektor ds. strategii biznesowej

W Příbramie, 4 maja 2026 r.



Załącznik do deklaracji właściwości użytkowych

Nr. V.014

Umywalki ceramiczne bez przelewu.

<i>Numer produktu</i>	<i>Nazwa/wymiar</i>	<i>Oznakowanie CE</i>
XJX01250000	Balance 500 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01260000	Balance 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01280000	Balance 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03155000	Ceramic 550 O Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D155000	Ceramic 550 O Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01155001	Ceramic 550 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E155000	Ceramic 550 O Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03155003	Ceramic 550 R Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D155001	Ceramic 550 R Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01155002	Ceramic 550 R Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E155004	Ceramic 550 R Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01160001	Ceramic 600 O ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01160002	Ceramic 600 R ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01260001	Comfort 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01280001	Comfort 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01150000	Cori 500 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01158000	Cori 580 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03160000	Julan 600 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D160000	Julan 600 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01160007	Julan 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E160000	Julan 600 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01249000	Márta 490 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01264000	Márta 640 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01150003	MOYA 500 ceramic white	EN 14688 - CL00; CA-DA
XJX01160011	MOYA 600 ceramic white	EN 14688 - CL00; CA-DA
XJX01180006	MOYA 800 ceramic white	EN 14688 - CL00; CA-DA
XJX01140006	PAJA 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03138000	Uni 380 S Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D138000	Uni 380 S Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01138001	Uni 380 S Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E138000	Uni 380 S Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03140000	Uni 400 B Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D140000	Uni 400 B Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01140003	Uni 400 B Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E140000	Uni 400 B Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01140001	Uni 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03140001	Uni 400 Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D140001	Uni 400 Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01140002	Uni 400 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E140001	Uni 400 Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA

Numer produktu	Nazwa/wymiar	Oznakowanie CE
XJX0E140001	Uni 400 Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01150004	Uni 500 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
GPX2240601	Uni 500 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03150001	Uni 500 R Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX03150000	Uni 500 R Slim ceramic black	EN 14688 - CL00; OF-CA-DA
XJX0D150000	Uni 500 R Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01150001	Uni 500 R Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E150000	Uni 500 R Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03228000	Yard 280 C ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0G228000	Yard 280 C ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX07228000	Yard 280 C ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O228000	Yard 280 C ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D228000	Yard 280 C ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08228000	Yard 280 C ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01228000	Yard 280 C ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E228001	Yard 280 C ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D028000	Yard 280 C w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01028000	Yard 280 C w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03028000	Yard 280 C w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0G240000	Yard 400 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03240002	Yard 400 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07240000	Yard 400 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08240000	Yard 400 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O240000	Yard 400 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D040000	Yard 400 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08040000	Yard 400 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01040000	Yard 400 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E040000	Yard 400 w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D240002	Yard 400 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01240002	Yard 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E240001	Yard 400 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G040000	Yard 400 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03040000	Yard 400 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07040000	Yard 400 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O040000	Yard 400 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G245000	Yard 450 C ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03245000	Yard 450 C ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07245000	Yard 450 C ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O245000	Yard 450 C ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D045000	Yard 450 C w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01045000	Yard 450 C w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E045000	Yard 450 C w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D245000	Yard 450 C ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08245000	Yard 450 C ceramic grey green	EN 14688 - CL00; OF-CA-DA

Numer produktu	Nazwa/wymiar	Oznakowanie CE
XJX01245000	Yard 450 C ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E245001	Yard 450 C ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G045000	Yard 450 C w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03045000	Yard 450 C w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07045000	Yard 450 C w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08045000	Yard 450 C w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O045000	Yard 450 C w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G260000	Yard 600 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03260002	Yard 600 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX08260000	Yard 600 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O260000	Yard 600 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D060000	Yard 600 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08060000	Yard 600 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01060000	Yard 600 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E060000	Yard 600 w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D260002	Yard 600 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX07260000	Yard 600 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX01260002	Yard 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E260001	Yard 600 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G060000	Yard 600 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03060000	Yard 600 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07060000	Yard 600 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O060000	Yard 600 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G280000	Yard 800 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03280002	Yard 800 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07280000	Yard 800 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O280000	Yard 800 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX01280002	Yard 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01080000	Yard 800 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0D080000	Yard 800 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX0E080000	Yard 800 w/o hole ceramic hole white matt	EN 14688 - CL00; OF-CA-DA
XJX0D280002	Yard 800 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08280000	Yard 800 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0E280001	Yard 800 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G080000	Yard 800 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03080000	Yard 800 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07080000	Yard 800 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08080000	Yard 800 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O080000	Yard 800 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
X01717	UNI F SLIM 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJXL3240000	VEDA 400 W L ceramic anthracite	EN 14688 - CL00; OF-CA-DA-LR
XJXLD240000	VEDA 400 W L ceramic black matt	EN 14688 - CL00; OF-CA-DA-LR
XJXL1240000	VEDA 400 W L ceramic white	EN 14688 - CL00; OF-CA-DA-LR
XJXLE240000	VEDA 400 W L ceramic white matt	EN 14688 - CL00; OF-CA-DA-LR

Numer produktu	Nazwa/wymiar	Oznakowanie CE
XJXP3240000	VEDA 400 W R ceramic anthracite	EN 14688 - CL00; OF-CA-DA-LR
XJXPD240000	VEDA 400 W R ceramic black matt	EN 14688 - CL00; OF-CA-DA-LR
XJXP1240000	VEDA 400 W R ceramic white	EN 14688 - CL00; OF-CA-DA-LR
XJXPE240000	VEDA 400 W R ceramic white matt	EN 14688 - CL00; OF-CA-DA-LR
X01720	VEDA 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03240000	VEDA Slim 400 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D240000	VEDA Slim 400 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01240000	VEDA Slim 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E240002	VEDA Slim 400 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01140007	Zeta 400 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01155007	Zeta 550 Slim ceramic white	EN 14688 - CL00; OF-CA-DA

Umywalki ceramiczne z przelewem

Numer produktu	Nazwa/wymiar	Oznakowanie CE
XJX01150002	ARCTIC 500 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01161000	ARCTIC 600 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01180004	ARCTIC 800 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX0D160001	ARTISAN 600 ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01160009	ARTISAN 600 ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E160001	ARTISAN 600 ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX0D180000	ARTISAN 800 ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01180003	ARTISAN 800 ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E180000	ARTISAN 800 ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX03155001	Ceramic 550 O Slim Shelf ceramic anthracite	EN 14688 – CL15; OF-CA-DA
XJX0D155002	Ceramic 550 O Slim Shelf ceramic black matt	EN 14688 – CL15; OF-CA-DA
XJX01155003	Ceramic 550 O Slim Shelf ceramic white	EN 14688 – CL15; OF-CA-DA
XJX0E155001	Ceramic 550 O Slim Shelf ceramic white matt	EN 14688 – CL15; OF-CA-DA
XJX01155004	Ceramic 550 O Slim Wall ceramic white	EN 14688 – CL15; OF-CA-DA
XJX03155002	Ceramic 550 O Slim Wall N ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX0D155003	Ceramic 550 O Slim Wall N ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01155008	Ceramic 550 O Slim Wall N ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E155003	Ceramic 550 O Slim Wall N ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX03155004	Ceramic 550 R Slim Shelf ceramic anthracite	EN 14688 – CL15; OF-CA-DA
XJX0D155004	Ceramic 550 R Slim Shelf ceramic black matt	EN 14688 – CL15; OF-CA-DA
XJX01155005	Ceramic 550 R Slim Shelf ceramic white	EN 14688 – CL15; OF-CA-DA
XJX0E155005	Ceramic 550 R Slim Shelf ceramic white matt	EN 14688 – CL15; OF-CA-DA
XJX01155006	Ceramic 550 R Slim Wall ceramic white	EN 14688 – CL15; OF-CA-DA
XJX03155005	Ceramic 550 R Slim Wall N ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX0D155005	Ceramic 550 R Slim Wall N ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01155000	Ceramic 550 R Slim Wall N ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E155006	Ceramic 550 R Slim Wall N ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01163000	EBS Victory 630 ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01125000	Frost 500 ceramic white	EN 14688 – CL10; OF-CA-DA

Numer produktu	Nazwa/wymiar	Oznakowanie CE
XJX01125500	Frost 550 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01126000	Frost 600 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01128000	Frost 800 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01160008	Chrome 600 Slim ceramic white	EN 14688 – CL20; OF-CA-DA
XJX01170002	Chrome 700 Slim ceramic white	EN 14688 – CL20; OF-CA-DA
XJX01180002	Chrome 800 Slim ceramic white	EN 14688 – CL20; OF-CA-DA
XJX03160001	Profi 600 ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX03180000	Profi 800 ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX01160010	Selva 600 ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX01180005	Selva 800 ceramic white	EN 14688 – CL15; OF-CA-DA-LR

Ing. Patrik Kreysa
Dyrektor ds. strategii biznesowej

W Příbramie, 4 maja 2026 r.

